

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(scsi or pci) and dma and (reset same timer same broadcast)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/09 18:27
L2	8	dma and (reset same timer same broadcast)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/09 18:29
L3	748	dma and (reset and timer and broadcast)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/09 18:27
L4	293	(scsi or pci) and 3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/09 18:27
L5	111	4 and (packet with type)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/09 18:28
L6	174	(reset same timer same broadcast)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/09 18:29
L7	111	6 and functions	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/09 18:33
L8	82	(broadcast same timer) and (scsi or pci)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/09 18:34
L9	40	(broadcast same timer same (instruction or packet)) and (scsi or pci)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 18:35
L10	10	(broadcast same timer same (instruction or packet) same function) and (scsi or pci)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 18:54
L11	372	709/235.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 18:54
L12	1925	709/235,220,250.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 18:55

L13	664	710/104.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 18:55
L14	126	713/160.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 18:55
L15	2667	12 or 13 or 14	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 18:55
L16	184	15 and (packet near type)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 18:55
S1	1777	(modem or bus) and packet and dma and ca	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 14:49
S2	2070	(modem or bus) and packet and dma and ca	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 19:42
S3	10	(modem or bus) and (packet with (dma and ca))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 20:16
S4	0	((gregory near andre) or (diane near mcelyea) or (steven near mcgee)).in.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 20:28
S5	12	((("5193163") or ("5990939") or ("6138176") or ("5524216") or ("5890217") or ("5761526"))).PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 20:35
S6	2227	bus and (packet near type) and (buffer\$4 or memory or storage or ram or rom) and transmi\$6 and receiv\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 20:38
S7	16791	direct near memory near access	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 20:37
S8	562	S7 with packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 20:38

S9	2179	(control near access) with packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 20:37
S10	69	S8 and S9	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 20:38
S11	60	S10 and bus	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 20:38
S12	60	S11 and (buffer\$4 or memory or storage or ram or rom)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 17:00
S13	16561	"direct memory access"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:45
S14	15376	"control action"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 20:39
S15	1	(S13 and S14) with packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 20:40
S16	1	2003-697177.NRAN.	DERWENT	OR	OFF	2005/01/04 20:39
S17	8747	packet near3 type	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 20:40
S18	3772	S17 and bus	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 20:40
S19	3616	S18 and (buffer\$4 or memory or storage or ram or rom)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 21:12
S20	869	S19 and reset and tim\$4 and broadcast	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 20:41
S21	82	S19 and (function same (reset and tim\$4 and broadcast))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 20:50

S22	71	S21 and (bus with interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 20:50
S23	126411	bus near4 (system or line)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 20:50
S24	10033	packet near4 type	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 17:19
S25	41	(function same (reset and tim\$4 and broadcast) same packet)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 20:51
S26	10	S23 and S24 and S25	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 21:11
S27	2127	packet with discriminat\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 21:12
S28	95	S19 and S27	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 21:12
S29	6949	(modem or bus) and (packet with (discriminat\$ or separat\$ or select\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 17:00
S30	6309	S29 and (buffer\$4 or memory or storage or ram or rom)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 17:00
S31	4688	S29 and ((buffer\$4 or memory or storage or ram or rom) with packet)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 17:01
S32	867	(packet with instruction) and S31	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 17:02
S33	115	reset and timer and broadcast and S32	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 17:28

S34	257	370/422,423.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 17:28
S35	7031	(modem or bus) and (packet with (discriminat\$ or separat\$ or select\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 17:31
S36	4739	S35 and ((buffer\$4 or memory or storage or ram or rom) with packet)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 17:31
S37	879	(packet with instruction) and S36	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 17:28
S38	116	reset and timer and broadcast and S37	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 17:52
S39	1	S34 and S38	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 17:29
S40	943	(modem or bus) and (packet with (discriminat\$ or separat\$ or select\$4)).ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 17:31
S41	547	S40 and ((buffer\$4 or memory or storage or ram or rom) with packet)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 17:31
S42	30	reset and timer and broadcast and S41	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 17:51
S43	362	(transaction near type) same packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 17:51
S44	46	reset and timer and broadcast and S43	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 17:52
S45	17918	bus adj2 address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 17:58

S46	15484	packet with buffer\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 17:58
S47	406	S45 and S46 and (packet with type)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 18:01
S48	365	S47 and (bus with interfac\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 18:01
S49	365	S47 and (bus with interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 18:01
S50	269	S47 and (bus near2 interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 18:01
S51	248	S50 and write and read	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 18:02
S52	177	S50 and ((write and read) same packet)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 18:02
S53	117	S52 and (bus with line)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 20:51
S54	23173	((bus with line) or (system near bus)) with interface	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 20:52
S55	13571	(buffer or memory) same S54	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 20:52
S56	569	(packet near4 type) and S55	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 20:52
S57	36	((packet near4 type) same instruction) and S55	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 20:52

S58	82	(system near4 bus) same (packet with type) same (buffer or memory)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:59
S59	75	device and S58	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 14:52
S60	40	(system near4 bus) same (packet with type) same (buffer or fifo)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:00
S61	10	(system near4 bus) same (packet with type) same (buffer or fifo) same interface	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:05
S62	138	bus same (packet with type) same (buffer or fifo) same interface	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:05
S63	12	(bus near4 (line or system)) same (packet with type) same (buffer or fifo) same interface	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:18
S64	392	(packet with type) same (buffer or fifo) same interface	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:18
S65	77	(packet with type) same (buffer or fifo) same ((bus or line) near2 interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:19
S66	16574	"direct memory access"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:45
S67	12363	control\$4 same S66	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:45
S68	340	(packet with instruction) and S67	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:46
S69	288	S68 and (bus same interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:46

S70	120	S68 and (bus same interface same (buffer or fifo))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:56
S71	1025	(multi\$2 near4 bus) and packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 16:05
S72	404	(access and (control or action)) with packet with type	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 16:05
S73	14	(access and (control or action)) with packet with type with (buffer or fifo)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 16:07
S74	558	(packet near4 type) with (buffer or fifo)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 16:07
S75	269	S74 and ((bus or line) with interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 16:08
S76	145	S75 and instruction	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 16:08
S77	91	S75 and (packet same instruction)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 15:31
S78	4	(dma and ca) with (buffer or fifo) with packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 15:33
S79	291	(dma and control) with (buffer or fifo) with packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 15:33
S80	224	S79 and ((system or bus) with interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 15:33
S81	69	S80 and (packet near type)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 15:46

S82	3154	(packet with type).ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 17:19
S83	37820	((line or bus) with interface).ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 15:47
S84	71	S82 and S83	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 15:47
S85	27	S84 and (fifo or buffer or memory)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 16:01
S86	892	S82 and (fifo or buffer or memory)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 16:01
S87	357	S86 and interface	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 16:02
S88	44	dma and S87	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 16:14
S89	18165	dma with (fifo or buffer or memory)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 16:14
S90	467860	(control or action) with (fifo or buffer or memory)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 16:14
S91	9670	interface and S90 and S89	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 16:14
S92	34	S82 and S91	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 16:23
S93	53312	control same (reset or timer or broadcast) same (fifo or buffer or memory)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 16:24

S94	71	S82 and S93	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 16:24
S95	12	dma and S94	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 16:52
S96	2	("6327625").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/09 16:53
S97	0	interleav\$4 and S96	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/09 17:18
S98	1176	(dma and interrupt) with (buffer or fifo)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/09 17:19
S99	3154	(packet with type).ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 17:19
S10 0	5	S98 and S99	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 17:46
S10 1	235	375/130-377.ccls. and (packet near type)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 17:46
S10 2	30	375/130-377.ccls. and (packet near type) and dma	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 18:05
S10 3	2	("6609167").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/09 18:05
S10 4	0	reset and timer and broadcast and S103	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/09 18:05
S10 5	1	reset and S103	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/09 18:06

S10 6	1	tim\$4 and S103	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/09 18:10
S10 7	2646	(scsi or pci) and broadcast	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/09 18:10
S10 8	712	S107 and dma	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/09 18:10
S10 9	474	S108 and reset	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/09 18:10
S11 0	289	S109 and packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/09 18:10
S11 1	134	S109 and (packet with type)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/09 18:11
S11 2	131	S111 and (buffer or fifo)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/09 18:11
S11 3	108	S112 and timer	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/09 18:11
S11 4	0	S113 and (reset same timer same broadcast)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/09 18:12
S11 5	8	dma and (reset same timer same broadcast)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/09 18:26